



Specialists in flow metering, pumps, couplings and process measurement equipment



PRODUCT DATASHEET



UK Flowtechnik Ltd 1 Central Park Lenton Lane Nottingham NG7 2NR United Kingdom Phone +44 (0) 11 59 01 71 11 UK Free Phone 0800 4334 770 Fax +44 (0) 11 59 86 88 75

> sales@ukflowtechnik.com www.ukflowtechnik.com

TM Series Axial Turbine Flowmeter with Display



FLOMEC[®] TM Series Water Meters are accurate, economical and designed to last. Choose TM Water Meters for water processing and irrigation applications:


Features & Benefits


- Displays in gallons, litres and cubic feet
- Indicates Batch, Cumulative Totals and Rate of Flow
- Available in Spigot, NPT, BSP (1", 1-½" and 2" only), 150lb ANSI Flange (3" and 4" only) and DIN Flange
- Non-volatile totals means amounts are retained when batteries are replaced or power is lost
- Alkaline battery life: 2 years
- Meets Schedule 80 PVC specification

-	•	
Tec	hnica	l Data

	05	07	10	15	20	30	40			
Flow Range										
L/M	3.8-38	7.6-76	19-190	38-380	76-760	151-1,514	227-2,271			
Connection										
Size	1/2″	3/4"	1″	1.1/2″	2″	3" (DN80)	4" (DN100)			
Meter Factor										
(P/L)	660	291	149	57	26	11	4.5			
Body Material	PVC									
Rotor/Shaft/										
Bearing	PVDF/Tungsten/Ceramic (316 Stainless Steel retaining clips) Acetal/Stainless Steel/PEEK (316 Stainless Steel/PEEK (316 Sta									
Material	Steel retaining clips)									
Linearity	+/- 3% of Reading									
Max Pressure										
(Bar)	15.3 Bar (or 23°C)									
Max Pressure										
for BSPP & DIN										
Connections	N/A 10.3 Bar (at 23°C)						9.1 Bar (at 23°C)			
(Bar)										
Max										
Temperature	60°C									
(°C)										
Display	Battery powered LCD with Flow Rate & 2x totals (one with reset) in either Litres or US Gallons									
Options:	Additional sandwich modules for dc power, scaled and unscaled pulsed output and 4-20 mA output									

Dimensional Data





						10 BSP/		15 BSP/		20 BSP/
	05 Spigot	05 NPT	07 Spigot	07 NPT	10 Spigot	NPT	15 Spigot	NPT	20 Spigot	NPT
Α	109	152	112	155	114	165	137	193	140	200
В	63	68	68	73	73	79	91	96	104	112

	30 Spigot	30 Threaded	30 Flanged	40 Spigot	40 NPT	40 Flanged
Α	292	373	305	343	432	356
В	136	147	190	161	170	229

Ordering Information

